

SMPL®

Nailing System



Your Reliable Partner
of Orthopaedic Needs...

SMPL®
SMIT MEDIMED PVT. LTD.

Plot No.10, Phase-1, B/h. Prashant Eng., G.I.D.C. Vatva,
Ahmedabad-382 445. (Gujarat) INDIA.
Phone : +91-79-25896751, 25896752 Fax : +91-79-25894150
E-mail : sale@smitmedimed.com, info@smitmedimed.com
Visit us : www.smitmedimed.com

Proximal Femoral Nail

CAT. No. : S168N / S168NT

SMPL NEW PROXIMAL FEMORAL NAIL (DIA 9, 10, 11, 12mm)

9 mm Short

Length in mm	Code/Dia. Stainless Steel	Code/Dia. Titanium
180	S168N-09-180	S168NT-09-180
240	S168N-09-240	S168NT-09-240

11 mm Short

Length in mm	Code/Dia. Stainless Steel	Code/Dia. Titanium
180	S168N-11-180	S168NT-11-180
240	S168N-11-240	S168NT-11-240

9 mm Long

Length in mm	Code/Dia. Stainless Steel	Code/Dia. Titanium
340	S168N-09(L/R)-340	S168NT-09(L/R)-340
360	S168N-09(L/R)-360	S168NT-09(L/R)-360
380	S168N-09(L/R)-380	S168NT-09(L/R)-380
400	S168N-09(L/R)-400	S168NT-09(L/R)-400
420	S168N-09(L/R)-420	S168NT-09(L/R)-420
440	S168N-09(L/R)-440	S168NT-09(L/R)-440

11 mm Long

Length in mm	Code/Dia. Stainless Steel	Code/Dia. Titanium
340	S168N-11(L/R)-340	S168NT-11(L/R)-340
360	S168N-11(L/R)-360	S168NT-11(L/R)-360
380	S168N-11(L/R)-380	S168NT-11(L/R)-380
400	S168N-11(L/R)-400	S168NT-11(L/R)-400
420	S168N-11(L/R)-420	S168NT-11(L/R)-420
440	S168N-11(L/R)-440	S168NT-11(L/R)-440

10 mm Short

Length in mm	Code/Dia. Stainless Steel	Code/Dia. Titanium
180	S168N-10-180	S168NT-10-180
240	S168N-10-240	S168NT-10-240

12 mm Short

Length in mm	Code/Dia. Stainless Steel	Code/Dia. Titanium
180	S168N-12-180	S168NT-12-180
240	S168N-12-240	S168NT-12-240

10 mm Long

Length in mm	Code/Dia. Stainless Steel	Code/Dia. Titanium
340	S168N-10(L/R)-340	S168NT-10(L/R)-340
360	S168N-10(L/R)-360	S168NT-10(L/R)-360
380	S168N-10(L/R)-380	S168NT-10(L/R)-380
400	S168N-10(L/R)-400	S168NT-10(L/R)-400
420	S168N-10(L/R)-420	S168NT-10(L/R)-420
440	S168N-10(L/R)-440	S168NT-10(L/R)-440

12 mm Long

Length in mm	Code/Dia. Stainless Steel	Code/Dia. Titanium
340	S168N-12(L/R)-340	S168NT-12(L/R)-340
360	S168N-12(L/R)-360	S168NT-12(L/R)-360
380	S168N-12(L/R)-380	S168NT-12(L/R)-380
400	S168N-12(L/R)-400	S168NT-12(L/R)-400
420	S168N-12(L/R)-420	S168NT-12(L/R)-420
440	S168N-12(L/R)-440	S168NT-12(L/R)-440



CAT. No. : S174 / S174T

LEG SCREW DIA 8mm (CANNULATED)

Ø 8mm

Length in mm	Code/Dia. Stainless Steel	Code/Dia. Titanium
60	S174-08-60	S174T-08-60
65	S174-08-65	S174T-08-65
70	S174-08-70	S174T-08-70
75	S174-08-75	S174T-08-75
80	S174-08-80	S174T-08-80
85	S174-08-85	S174T-08-85
90	S174-08-90	S174T-08-90
95	S174-08-95	S174T-08-95
100	S174-08-100	S174T-08-100
105	S174-08-105	S174T-08-105
110	S174-08-110	S174T-08-110
115	S174-08-115	S174T-08-115
120	S174-08-120	S174T-08-120




CAT. No. : S175 / S175T

LEG SCREW DIA 6.4mm (CANNULATED)

Ø 6.4mm

Length in mm	Code/Dia. Stainless Steel	Code/Dia. Titanium
70	S175-6.4-70	S175T-6.4-70
75	S175-6.4-75	S175T-6.4-75
80	S175-6.4-80	S175T-6.4-80
85	S175-6.4-85	S175T-6.4-85
90	S175-6.4-90	S175T-6.4-90
95	S175-6.4-95	S175T-6.4-95
100	S175-6.4-100	S175T-6.4-100
105	S175-6.4-105	S175T-6.4-105
110	S175-6.4-110	S175T-6.4-110
115	S175-6.4-115	S175T-6.4-115
120	S175-6.4-120	S175T-6.4-120



CAT. No. : S155 / S155T

LOCKING SCREW DIA 4.9mm

Ø 4.9 mm

Length in mm	Code/Dia. Stainless Steel	Length in mm	Code/Dia. Stainless Steel
20	S155-20	46	S155-46
22	S155-22	48	S155-48
24	S155-24	50	S155-50
26	S155-26	52	S155-52
28	S155-28	54	S155-54
30	S155-30	56	S155-56
32	S155-32	58	S155-58
34	S155-34	60	S155-60
36	S155-36	62	S155-62
38	S155-38	64	S155-64
40	S155-40	66	S155-66
42	S155-42	68	S155-68
44	S155-44	70	S155-70

Ø 4.9mm

Length in mm	Code/Dia. Titanium
25	S155T-25
30	S155T-30
35	S155T-35
40	S155T-40
45	S155T-45
50	S155T-50
55	S155T-55
60	S155T-60
65	S155T-65
70	S155T-70



CAT. No. : S177 / S177T
END CAP

Length in mm	Code/Dia. Stainless Steel	Code/Dia. Titanium
2	S177-2	S177T-2
5	S177-5	S177T-5
10	S177-10	S177T-10
15	S177-15	S177T-15
20	S177-20	S177T-20



Instrument Set



**ALL. SIGHTING ZIG-PROXIMAL & DISTAL
(SHORT NAIL)**
CAT. No. : S252-01 & 03



CONICAL BOLT
CAT. No. : S252-05



**BOX SPANNER FOR
CONICAL BOLT**
CAT. No. : S252-06



**STOP DRILL SLEEVE
FOR PROXIMAL REAMER**
CAT. No. : S252-07



REAMER DIA 13.5mm CANNULATED
CAT. No. : S252-08



REAMER DIA 6.4mm CANNULATED
CAT. No. : S252-09



REAMER DIA 8mm CANNULATED
CAT. No. : S252-10



Cross Head
Cat No. S255-10



Cross Head Connecting Bolt
Cat No. S255-11



Hammer Base for Cross Head
Cat No. S255-12



SLEEVE FOR PROXIMAL LEG SCREW
CAT. No. : S252-14



PROTECTION SLEEVE
CAT. No. : S252-15



GUIDE WIRE SLEEVE DIA 2.2mm
CAT. No. : S252-16



DRILL SLEEVE DIA 4mm
CAT. No. : S252-17



DEPTH GAUGE
CAT. No. : S252-18



CANNULATED SCREW DRIVER FOR LEG SCREW 8mm
CAT. No. : S252-19



EXTRANCTION ROD WITH SLIDING HAMMER
CAT. No. : S252-20



**CANNULATED SCREW DRIVER
FOR LEG SCREW 6.4mm**
CAT. No. : S252-22



LOCKING SCREW DRIVER 4.9MM
CAT. No. : S252-23



CHUCK
CAT. No. : S252-24



DRILL BIT 4mm
CAT. No. : S252-25



GUIDE PIN
CAT. No. : S252-26



TROCAR
CAT. No. : S253-28



Tommy Bar
Cat No. S255-13